


**REMARKS**

No new matter has been added. The amendments to the claims address typographical and spelling errors, and improve antecedent basis. The amendments do not affect, or surrender, any scope of any claim as originally filed.

FIGS. 3, 4A, and 4B have been amended herein. Specifically, FIG. 3 has been revised to add the appropriate lead line to reference numeral --64--; FIG. 4A has been revised to insert the bond pads at contact terminals at 40 and 96; and FIG. 4B has been revised to insert contact terminals 96 (2 occurrences) and bond pads 40 (2 occurrences). No new matter has been added.

The Applicants again request entry of the amendments as set forth herein prior to examination of the application on the merits.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read 'K. Johanson', followed by a horizontal line.

Kevin K. Johanson  
Registration No. 38,506  
Attorney for Applicant(s)  
TRASKBRITT  
P.O. Box 2550  
Salt Lake City, Utah 84110-2550  
Telephone: 801-532-1922

Date: January 15, 2004

KKJ/tlb

Enclosures: Replacement Sheets  
Annotated Sheets Showing Changes

\\Traskbritt1\Shared\DOCS\2269-5457US\57067.doc




FIG. 3




FIG. 3A

+




FIG. 4B




FIG. 4A